

## **MINISTRY** OF REPUBLIC OF GHANA NATIONAL SECURITY

P.O.Box 1627, Osu -Accra	
Digital Address : GA-111-7778	

Kindly quote this number and	date on all correspondence
My Ref. No	
Your Ref. No.	
Date 17/08/20	22

## **PRESS RELEASE**

Following series of engagements over the precarious security situation and disruption of electricity supply to communities in the Lower Manya Krobo and Yilo Krobo Municiplities, the Paramount Chiefs led by the President of the Eastern Regional House of Chiefs on 11/08/2022, facilitated a stakeholder meeting which involved the Ministry of National Security, the Electricity Company of Ghana, the Eastern Regional Minister and the Municipal Chief Executives of the Lower Manya Krobo and Yilo Krobo Municipalities. During the said meeting, the following action points were agreed on for implementation towards restoring electricity supply to the Lower Manya Krobo and Yilo Krobo Municipalities while addressing the volatile security situation in the area.

- The conduct of integrity tests on all power transmission lines and electricity infrastructure in the area;
- The resumption of the installation of prepaid meters following the restoration of electricity supply to the areas;
- The deployment of security personnel to the said areas to ensure law and order during the installation of pre-paid meters;
- The provision of technical assistance by the 49 Field Engineers Regiment of the Ghana Armed Forces to ECG technicians during the installation process; and
- The arrest of persons whose conduct threatens to disrupt the exercise.

It is anticipated that the consensus reached between the said stakeholders would engender peace and security, promote socio-economic activities, and restore normalcy to the Lower Manya Krobo and Yilo Krobo Municipalities.

Residents of the Lower Manya Krobo and Yilo Krobo Municipalities are, therefore, urged to cooperate with the security agencies and the Electricity Company of Ghana to ensure law and order as electricity supply is restored to the affected areas.

==END==



## **MINISTRY** OF REPUBLIC OF GHANA NATIONAL SECURITY

P.O.Box 1627, Osu -Accra	
Digital Address : GA-111-7778	Ş

Kindly quote this number and date on all	correspondence
My Ref. No	
Your Ref. No.	
Date 17/08/2022	

## PRESS RELEASE

Following series of engagements over the precarious security situation and disruption of electricity supply to communities in the Lower Manya Krobo and Yilo Krobo Municiplities, the Paramount Chiefs led by the President of the Eastern Regional House of Chiefs on 11/08/2022, facilitated a stakeholder meeting which involved the Ministry of National Security, the Electricity Company of Ghana, the Eastern Regional Minister and the Municipal Chief Executives of the Lower Manya Krobo and Yilo Krobo Municipalities. During the said meeting, the following action points were agreed on for implementation towards restoring electricity supply to the Lower Manya Krobo and Yilo Krobo Municipalities while addressing the volatile security situation in the area.

- The conduct of integrity tests on all power transmission lines and electricity infrastructure in the area;
- The resumption of the installation of prepaid meters following the restoration of electricity supply to the areas;
- The deployment of security personnel to the said areas to ensure law and order during the installation of pre-paid meters;
- The provision of technical assistance by the 49 Field Engineers Regiment of the Ghana Armed Forces to ECG technicians during the installation process; and
- The arrest of persons whose conduct threatens to disrupt the exercise.

It is anticipated that the consensus reached between the said stakeholders would engender peace and security, promote socio-economic activities, and restore normalcy to the Lower Manya Krobo and Yilo Krobo Municipalities.

Residents of the Lower Manya Krobo and Yilo Krobo Municipalities are, therefore, urged to cooperate with the security agencies and the Electricity Company of Ghana to ensure law and order as electricity supply is restored to the affected areas.

==END==